Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S25	1403	(118/712).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/26 14:28
S26	211	(118/713).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/26 14:29
S27	257	(118/689).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/26 14:29
S35	1359	(425/461).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 21:25
S36	1204	(425/464).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 21:25
S37	1135	(425/466).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 21:25
S38	1715	"425"/\$.ccls. and (extrusion or extruding or extruder) near20 (slit or slot)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 21:25
S39	66	"425"/\$.ccls. and (extrusion or extruding or extruder) near20 (slit or slot) and (forming near2 member)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 21:25

S40	438	"118"/\$.ccls. and (extrusion or extruding or extruder) near20 (slit or slot)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 21:25
S41	1	"5074243".PN.	USPAT; USOCR	OR	ON	2005/03/15 21:25
S42	808	(425/467).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 21:25
S43	949	"156"/\$.ccls. and (extrusion or extruding or extruder) near20 (slit or slot)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 21:25
S44	441	"156"/\$.ccls. and (extrusion or extruding or extruder) near2 (slit or slot)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 21:25
S45	47	"118"/\$.ccls. and (extrusion or extruding or extruder) and ((thickness or weight or density) near7 (sensor or controller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 21:25
S46	602	(425/462).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 21:25
S47	492	(425/463).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 21:25
S48	0	482/382.4.ccls. and (extrusion or extruding or extruder) and ((thickness or weight or density) near7 (sensor or controller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 21:25

	· · · · · · · · · · · · · · · · · · ·	T	,		,	
S49	0	482/382.4.ccls. and ((thickness or weight or density) near7 (sensor or controller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 21:25
S50	349	(425/382.4).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 21:25
S51	372	(425/465).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 21:25
S52	4	"118"/\$.ccls. and (extrusion or extruding or extruder) and ((density) near7 (sensor or controller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 21:25
S53	20	"425"/\$.ccls. and (extrusion or extruding or extruder) and ((density) near7 (sensor or controller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 21:25
S54	25	"264"/\$.ccls. and (extrusion or extruding or extruder) and ((density) near7 (sensor or controller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	·OR	ON	2005/03/15 21:25
S55	1447	(118/712).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 21:25
S56		(118/713).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 21:25

S57	257	(118/689).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 21:25
S58	. 0	S55 and (extrusion or extruding or extruder) and ((density) near7 (sensor or controller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 21:25
S59	0	S56 and (extrusion or extruding or extruder) and ((density) near7 (sensor or controller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 21:25
S60	0	S57 and (extrusion or extruding or extruder) and ((density) near7 (sensor or controller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 21:25
S61	0	118/689.ccls. and (extrusion or extruding or extruder) and ((density) near7 (sensor or controller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 21:25
S62	6	118/689.ccls. and (extrusion or extruding or extruder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 21:25
S63	3	S56 and (extrusion or extruding or extruder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 21:25
S64	44	S55 and (extrusion or extruding or extruder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 21:25